

## Bibliography

- [1] Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe, OJ L 152, 11.6.2008, p. 1–44
- [2] WHO global air quality guidelines  
<https://iris.who.int/bitstream/handle/10665/345329/9789240034228-eng.pdf?sequence=1&isAllowed=y>
- [3] Tami C. Bond & Robert W. Bergstrom (2006) Light Absorption by Carbonaceous Particles: An Investigative Review, *Aerosol Science and Technology*, 40:1, 27-67, DOI: 10.1080/02786820500421521
- [4] Petzold, A., Ogren, J. A., Fiebig, M., Laj, P., Li, S.-M., Baltensperger, U., Holzer-Popp, T., Kinne, S., Pappalardo, G., Sugimoto, N., Wehrli, C., Wiedensohler, A., and Zhang, X.-Y.: Recommendations for reporting "black carbon" measurements, *Atmos. Chem. Phys.*, 13, 8365–8379, <https://doi.org/10.5194/acp-13-8365-2013>, 2013.
- [5] Karanasiou, A., Panteliadis, P., Perez, N., Minguillón, M.C., Pandolfi, M., Titos, G., Viana, M., Moreno, T., Querol, X. & Alastuey, A. 2020, "Evaluation of the Semi-Continuous OCEC analyzer performance with the EUSAAR2 protocol", *Science of the Total Environment*, vol. 747.
- [6] Höller, R., Tohono, S., Kasahara, M., Hitzenberger, R., Long-term characterization of carbonaceous aerosol in Uji, Japan, *Atm. Environ.* 36, 1267-1275, 2002.
- [7] Kirchstetter, T. W., Corrigan, C. E. and Novakov, T.: Laboratory and field investigation of the adsorption of gaseous organic compounds onto quartz filters, *Atmospheric Environment*, 35, 9, 1663-1671, 2001-03, [https://doi.org/10.1016/S1352-2310\(00\)00448-9](https://doi.org/10.1016/S1352-2310(00)00448-9).
- [8] Subramanian, R., Khlystov, A. Y., Cabada, J. C. and Robinson, A. L.: Positive and Negative Artifacts in Particulate Organic Carbon Measurements with Denuded and Undenuded Sampler Configurations, *Aerosol Sci. Tech.*, 38, 27–48, 2004, <https://doi.org/10.1080/0278682039022935>.
- [9] Watson, J. G., Chow, J. C., Chen, L. W. H. and Frank, N. H.: Methods to assess carbonaceous aerosol sampling artifacts for IMPROVE and other long-term networks, *J. Air Waste Manag. Association*, 59(8), 898-911, 2009-08
- [10] Rigler et al.; *Atmos. Meas. Tech.*, 13, 4333–4351, 2020 <https://doi.org/10.5194/amt-13-4333-2020>
- [11] Visser, B., Röhrbein, J., Steigmeier, P., Drinovec, L., Močnik, G., and Weingartner, E.: A single-beam photothermal interferometer for in situ measurements of aerosol light absorption, *Atmos. Meas. Tech.*, 13, 7097–7111, <https://doi.org/10.5194/amt-13-7097-2020>, 2020.
- [12] H. Moosmüller, R.K. Chakrabarty, W.P. Arnott, Aerosol light absorption and its measurement: A review, *Journal of Quantitative Spectroscopy and Radiative Transfer*, Volume 110, Issue 11, 2009, Pages 844-878, <https://doi.org/10.1016/j.jqsrt.2009.02.035>.
- [13] Visser, B., Röhrbein, J., Steigmeier, P., Drinovec, L., Močnik, G., and Weingartner, E.: A single-beam photothermal interferometer for in situ measurements of aerosol light absorption, *Atmos. Meas. Tech.*, 13, 7097–7111, <https://doi.org/10.5194/amt-13-7097-2020>, 2020.

- [14] Modini, R. L., Corbin, J. C., Brem, B. T., Irwin, M., Bertò, M., Pileci, R. E., Fetfatzis, P., Eleftheriadis, K., Henzing, B., Moerman, M. M., Liu, F., Müller, T., and Gysel-Beer, M.: Detailed characterization of the CAPS single-scattering albedo monitor (CAPS PM<sub>ss</sub>) as a field-deployable instrument for measuring aerosol light absorption with the extinction-minus-scattering method, *Atmos. Meas. Tech.*, 14, 819–851, <https://doi.org/10.5194/amt-14-819-2021>, 2021.
- [15] Andreae, M. O. and Gelencsér, A.: Black carbon or brown carbon? The nature of light-absorbing carbonaceous aerosols, *Atmos. Chem. Phys.*, 6, 3131-3148 (2006)
- [16] Hoffer, A., Gelencsér, A., Guyon, P., Kiss, G., Schmid, O., Frank, G. P., Artaxo, P., and Andreae, M. O.: Optical properties of humic-like substances (HULIS) in biomass-burning aerosols, *Atmos. Chem. Phys.*, 6, 3563-3570 (2006)
- [17] Kirchstetter, T. W., Novakov, T., Hobbs, P. V. Evidence that the spectral dependence of light absorption by aerosols is affected by organic carbon, *Journal of geophysical research*, 1109, D1208 (2004), Doi: 10.1029/2004JD004999
- [18] Jimenez, J. C., Canagaratna, M. R., Donahue, N. M., Prevot, A. S. H., Zhang, Q., Kroll, J. H., De Carlo, P. F., Allan, J. D., Coe, H., Ng, N. L., Aiken, A. C., Doherty, K. S., Ulbrich, I. M., Grieshop, A. P., Robinson, A. L., Duplissy, J., Smithe, J. D., Wilson, K. R., Lanz, V. A., Hueglin, C., Seen, Y. L., Tian, J., Laaksonen, A., Raatikainen, J., Vaatovaara, P., Ehn, M., Kulenala, M., Tomlinson, J. M., Collins, P. R., Cubison, M. J., Dunlea, E. J., Hoffman, J. A., Onusch, T. B., Alfarra, M. R., Williams, P. I., Bower, K., Kondo, Y., Schneider, J., Drewnik, F., Borrmann, S., Weimer, S., Demerjian, K., Salvedo, D., Cottrell, L., Griffin, R., Takumi, A., Miyosmi, T., Hatakeyama, S., Shimono, A., Sun, J. Y., Zhang, Y. M., Dzepina, K., Kimmel, J. R., Suiper, D. J., Jayne, J. T., Herndorn, S. C., Trimborn, A. M., Williams, L. R., Wood, E. C., Middlebrook, A. M., Kolb, C. E., Baltensperger, U., Worsnap, D. R. Evolution of organic aerosols in the atmosphere *Science* 326, 1525-1529 (2009)
- [19] Sandradevi, J., Prevot, A. S., Alfarra, M. R., Szidat, S., Wehrle, M. N., Ruff, M., Weimer, S., Lanz, V. A., Weingartner, E., Perron, N., Caseiro, A., Kasper-Geibl, A., Puxbaum, H., Wacker, L., Baltensperger, U. Comparison of wood smoke markers and source apportionment methods for wood burning particulate mass *Atmospheric Chemistry and Physics Discussions* 8, 8091-8118 (2008)
- [20] Ried, J. S., Eck, T. F., Christoph, S. A., Koppmann, R., Dubovik, O., Eleuterio, D. P., Holben, B. N., Reid, E. A., Zhang, J. A review of biomass burning emissions part III: intensive optical properties of biomass burning particles *Atmos. Chem. Phys.* 5, 827-849 (2005)
- [21] Petzold, A. and Schönlinner, M. The multi-angle absorption photometer – a new method for the measurement of aerosol light absorption and atmospheric black carbon. *Journal of Aerosol Science* 35, 421-441 (2004)
- [22] Stephens, M., Turner, N., and Sandberg J., "Particle identification by laser-induced incandescence in a solid-state laser cavity," *Appl. Opt.* 42, 3726-3736 (2003)  
<https://opg.optica.org/ao/abstract.cfm?URI=ao-42-19-3726>
- [23] Schwarz, J. P., et al. (2006), Single-particle measurements of midlatitude black carbon and light-scattering aerosols from the boundary layer to the lower stratosphere, *J. Geophys. Res.*, 111, D16207, doi:10.1029/2006JD007076.
- [24] Pileci et al., 202, <https://doi.org/10.5194/amt-14-1379-2021>
- [25] Miyazaki, Y., Kondo, Y., Sahu, L. K., Imaru, J., Fukushima, N., and Kano, M.: Performance of a newly designed continuous soot monitoring system (COSMOS), *J. Environ. Monitor.*, 10, 1195–1201, <https://doi.org/10.1039/b806957c>, 2008.

- [26] Kondo, Y., Sahu, L., Moteki, N., Khan, F., Takegawa, N., Liu, X., Koike, M., and Miyakawa, T.: Consistency and traceability of black carbon measurements made by laser-induced incandescence, thermal-optical transmittance, and filter-based photo-absorption techniques, *Aerosol Sci. Tech.*, 45, 2, 295–312, <https://doi.org/10.1080/02786826.2010.533215>, 2011.
- [27] Canagaratna, M. R., Jimenez, J. L., Kroll, J. H., Chen, Q., Kessler, S. H., Massoli, P., Hildebrandt Ruiz, L., Fortner, E., Williams, L. R., Wilson, K. R., Surratt, J. D., Donahue, N. M., Jayne, J. T., and Worsnop, D. R.: Elemental ratio measurements of organic compounds using aerosol mass spectrometry: characterization, improved calibration, and implications, *Atmos. Chem. Phys.*, 15, 253-272, <https://doi.org/10.5194/acp-15-253-2015>, 2015.
- [28] Xu, W., P.L. Croteau, L. Williams, M.R. Canagaratna, T.B. Onasch, E. Cross, X. Zhang, W. Robinson, D.R. Worsnop, J.T. Jayne., 2017. Laboratory characterization of an aerosol chemical speciation monitor with PM<sub>2.5</sub> measurement capability. *Aerosol Science and Technology* 51(1), 69-83.
- [29] EN 12341:2023, *Ambient air — Standard gravimetric measurement method for the determination of the PM<sub>10</sub> or PM<sub>2,5</sub> mass concentration of suspended particulate matter*
- [30] Directive 2004/107/EC of the European parliament and of the council of 15 December 2004 relating to arsenic, cadmium, mercury, nickel and polycyclic aromatic hydrocarbons in ambient air, OJ L 23, 26.1.2005, p. 3–16
- [31] EN 16450:2017, *Ambient air — Automated measuring systems for the measurement of the concentration of particulate matter (PM<sub>10</sub> or PM<sub>2,5</sub>)*