

## Bibliography

- [1] International Impulse Forming Group. [www.I2FG.org](http://www.I2FG.org)
- [2] Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC
- [3] Deliverable D7.5: Standardisation recommendation document. Results were achieved within the project “JOINing of copper to aluminium by ElectroMagnetic fields” (JOIN’EM). Project funded by the European Union within the frame of the Horizon 2020 research and innovation program under Grant Agreement No. 677660
- [4] Lorenz A.L., Lueg-Althoff J., Bellmann J., Göbel G., Gies S., Weddeling C., Beyer E., Tekkaya A.E. Workpiece Positioning during Magnetic Pulse Welding of Aluminum-Steel Joints. *Weld. J.* 2016 April, 95 (3) pp. 101–109
- [5] V. Shribman. Magnetic Pulse Welding of Automotive HVAC parts
- [6] Pulsar. Magnetic Pulse Solutions –1-31, 2007
- [7] Akbari Mousavi A.A., Al-Hassani S.T.S. Numerical and experimental studies of the mechanism of the wavy interface formations in explosive/impact welding. *J. Mech. Phys. Solids.* 2005 June, 53 p. 25012528
- [8] Ben-Artzy A., Stern A., Frage N., Shribman V. Interface phenomena in aluminum-magnesium magnetic pulse welding. *Sci. Technol. Weld. Join.* 2008, 13 (4) pp. 402–408
- [9] Magnetic Pulse Welding of Automotive HVAC parts. Pulsar
- [10] Faes K., Baaten T., De Waele W., Debroux N. Joining of Copper to Brass Using Magnetic Pulse Welding. Proceedings of the International Conference of High Speed Forming, Columbus, Ohio, 9–10 March 2010
- [11] V. Shribman and B. Spitz. Magnetic pulse welding for tubular applications: Discovering new technology for welding conductive materials. *The Tube & Pipe Journal*, July 2001
- [12] Cui J., Sun G., Xu J., Xu Z., Huang X., Li G. A study on the critical wall thickness of the inner tube for magnetic pulse welding of tubular Al-Fe parts. *J. Mater. Process. Technol.* 2016, 227 pp. 138–146
- [13] Lueg-Althoff J., Schilling B., Bellmann J., Gies S., Schulze S., Tekkaya A.E. et al. Influence of the wall thickness on the joint quality during magnetic pulse welding in tube-to-tube configuration. 7th International conference on high speed forming, Dortmund, Germany, p. 259–268, 2016
- [14] Lueg-Althoff J., Bellmann J., Gies S., Schulze S., Tekkaya A.E., Beyer E. Magnetic pulse welding of dissimilar metals in tube-to-tube configuration. 9th International welding symposium of Japan Welding Society, Tokyo, Japan, p. 87–90, 2016
- [15] Kwee I., Faes K. Structural, morphological and mechanical features of aluminium to copper sheet joints by electromagnetic pulse welding. *Key Engineering Materials*, Vol. 710, p. 109–114. DOI: 10.4028 — [www.scientific.net/KEM.710.109](http://www.scientific.net/KEM.710.109)

- [16] Faes K., Kwee I. Morphological and mechanical characteristics of aluminium-copper sheet joints by electromagnetic pulse welding. Proceedings of the International Conference of High Speed Forming (ICHSF), Dortmund, Germany, 27-28 April 2016, p. 299–308
- [17] Kore S.D., Date P.P., Kulkarni S.V. Effect of process parameters on electromagnetic impact welding of aluminum sheets. *Int. J. Impact Eng.* 2006 November
- [18] Kore S.D., Date P.P., Kulkarni S.V. Electromagnetic impact welding of aluminum to stainless steel sheets. *J. Mater. Process. Technol.* 2008, (November) pp. 486–493
- [19] Schäfer R., Pasquale P. Material hybrid joining of sheet metals by electromagnetic pulse technology. PST products GmbH, Alzenau, Germany; available at [https://www.pstproducts.com/EMPT\\_sheetwelding\\_PSTproducts.pdf](https://www.pstproducts.com/EMPT_sheetwelding_PSTproducts.pdf) (accessed 18 January 2016)
- [20] M. Watanabe, S. Kumai. Interfacial Morphology of Magnetic Pulse Welded Aluminum/Aluminum and Copper/Copper Lap Joints. *Journal of Japan Institute of Light Metals* 50(2):286–292, Febr. 2009
- [21] Raelison R., Rachik M., Buiron N., Haye D., Morel M., Dos Santos B. et al. Assessment of gap and charging voltage influence on mechanical behavior of joints obtained by magnetic pulse welding. In: Proceedings of the 5th International Conference on High Speed Forming, Dortmund, Germany, pp. 207–216, 2012
- [22] Verstraete J., De Waele W., Faes K. Magnetic pulse welding: lessons to be learned from explosive welding. Proceedings of the conference “Sustainable Construction and Design 2011”, 16-17 Febr. 2011, Department of Mechanical Construction and Production, Ghent University, Ghent, Belgium
- [23] Raelison R.N., Buiron N., Rachik M., Haye D., Franz G. Efficient welding conditions in magnetic pulse welding process. *J. Manuf. Process.* 2012, 14 pp. 372–377
- [24] Cuq-Lelandais J.P., Avrillaud G., Ferreira S., Mazars G., Nottebaert A., Teilla G. et al. 3D Impacts Modeling of the Magnetic Pulse Welding Process. Proceedings of the 7th International Conference of High Speed Forming, Dortmund, Germany
- [25] V. Psyk, C. Scheffler, W.G. Drossel, V. Kolchuzhin, J. Mehner, K. Faes, O. Zaitov, A. Van den Bossche, D. Bozalakov. Advanced Coil Design for Electromagnetic Pulse Technology. Report on the methodology of coil design. EFB-Forschungsbericht Nr. 397. ISBN: 978-3-86776-441-4
- [26] Faes K., Psyk V., Scheffler C. Advanced Coil Design for Electromagnetic Pulse Technology — ACODEPT. Project website: <http://cornet.efb.de/index.php?menuid=14>, Dec. 2013
- [27] Zaitov O., Faes K. Experimental verification and comparison of analytical and FE models for calculation of a bitter solenoid. Proceedings of the International Workshop on Impulse forming & joining, May 7 2013, Belgian Welding Institute, Zwijnaarde, Belgium
- [28] Yu Yu H., Li C., Zhao Z., Li Z. Effect of field shaper on magnetic pressure in electromagnetic forming. *J. Mater. Process. Technol.* 2005, 168 pp. 245–249
- [29] J. D Ramboz. Machinable Rogowski Coil, Design, and Calibration
- [30] Faes K., Zaitov O., De Waele W. Joining of dissimilar materials using the magnetic pulse process. 2nd international conference for industrialised magnetic pulse welding & forming, Munich, Germany, 24–25 Jan. 2013

- [31] Demonie W., Faes K., De Waele W. Influence of process parameters on the weld quality of dissimilar Cu-Al magnetic pulse welded sheets. *International Journal of Sustainable Construction & Design*. 2016, 7 (1)
- [32] Kwee I., Psyk V., Faes K. Effect of the Welding Parameters on the Structural and Mechanical Properties of Aluminium and Copper Sheet Joints by Electromagnetic Pulse Welding. *World Journal of Engineering and Technology*. 2016, 4 pp. 538–561
- [33] Roeygens L., De Waele W., Faes K. Experimental investigation of the weldability of tubular dissimilar materials using the electromagnetic welding process. Proceedings of the conference “Sustainable Construction and Design, Vol. 8, No. 1, 2017, Department of Mechanical Construction and Production, Ghent University, Ghent, Belgium
- [34] Simoen B. Investigation of the weldability of dissimilar metals using the electromagnetic welding process. Master’s dissertation submitted in order to obtain the academic degree of Master of Science in Electromechanical Engineering in the academic year 2016-2017. Department of Electrical Energy, Metals, Mechanical Constructions & Systems. Supervisors: Prof. Dr. ir. Wim De Waele, Dr. ir. Koen Faes (BWI)
- [35] Cereja A., Faes K., Psyk V. The JOIN’EM Project: How to Join Dissimilar Metals with Electromagnetic Welding. *Machine Design*, July 03, 2018.  
<https://www.machinedesign.com/mechanical/join-em-project-how-join-dissimilar-metals-electromagnetic-welding>
- [36] Marya M., Marya S., Priem D. On the characteristics of electromagnetic welds between aluminium and other alloys. *Weld. World*. 2005, 49 (5/6) pp. 74–84
- [37] Cramer H., Appel L. Metallographic investigation of MPW interfaces. 1st Technical Conference on Industrialized Magnetic Pulse Welding and Forming, July 3rd, 2008, SLV Munich
- [38] Göbel G., Beyer E., Kaspar J., Brenner B. Dissimilar metal joining: Macro-and Microscopic Effects of MPW. In: Proceedings of the 5th International Conference on High Speed Forming, Dortmund, Germany, pp. 179–188, 2012
- [39] Göbel G., Kaspar J., Herrmanssdörfer T., Brenner B., Beyer E. Insights into interfacial phases on pulse welded dissimilar metal joints. In: Proceedings of the 4th International Conference on High Speed Forming, OH, USA, pp. 127–136, 2010
- [40] Izhar A., Livshitz Y., Gafri O. “High-voltage/high-current pulse power for civil, commercial, research, and military test applications – part IV: pulse magnetic welding”. 16th IEEE International Pulsed Power Conference, p. 706–710, 2007
- [41] Kang B.Y. Review of magnetic pulse welding. *Journal of welding and joining*, vol. 33, p. 7–13, 2015
- [42] V. Shribman. Magnetic Pulse Welding. BWI Welding Symposium. Belgian Welding Institute, Brussels, 18.10.07
- [43] Yu H., Xu Z., Fan Z., Zhao Z., Li C. Mechanical property and micro-structure of aluminium alloy-steel tubes joint by magnetic pulse welding. *Mater. Sci. Eng. A*. 2013, 561 pp. 259–265
- [44] Shribman V. Magnetic pulse welding for dissimilar and similar materials. 3rd international conference on high speed forming, 2008

- [45] Watanabe M., Kumai S., Nakayama K. Interfacial microstructure of Al/Metallic Glass lap joints fabricated by MP welding. *Mater. Trans.* 2009, 50 pp. 1279–1285
- [46] Hokari H., Sato T., Kawauchi K., Muto A. Magnetic impulse welding of aluminium tube and copper tube with various core materials. *Welding international*, vol. 12, p. 619–626, 1998
- [47] Aizawa T., Okogawa K., Kashani M. Application of magnetic pulse welding for aluminium alloys and SPCC steel sheet joints. *Weld. J.* 2007, 86 pp. 119–124
- [48] Lorenz A., Lueg-Althoff J., Göbel G., Weddeling C., Beyer E., Tekkaya A.E. Influence of axial workpiece positioning during magnetic pulse welding of aluminum-steel joints. 6th international conference on high speed forming, p. 189–198, 2014
- [49] Raoelison R.N., Sapanathan T., Buiron N., Rachik M. Magnetic pulse welding of Al/Al and Al/Cu metal pairs: consequences of the dissimilar combination on the interfacial behavior during the welding process. *J. Manuf. Process.* 2015, 20 pp. 112–127
- [50] Sapanathan T., Raoelison R.N., Buiron N., Rachik M. Magnetic Pulse Welding: An Innovative Joining Technology for Similar and Dissimilar Metal Pairs. In: *Joining Technologies*, (Ishak M., ed.). InTech, Rijeka, 2016
- [51] Kapil A., Sharma A. Magnetic pulse welding: an efficient and environmentally friendly multi-material joining technique. *J. Clean. Prod.* 2015, 100 pp. 35–58
- [52] Ben-Artzy A., Stern A., Frage N., Shribman V., Sadot O. Wave formation mechanism in magnetic pulse welding. *Int. J. Impact Eng.* 2010, 37 pp. 397–404
- [53] Lorenz A., Lueg-Althoff J., Bellmann J., Göbel G., Gies S., Weddeling C. et al. Workpiece Positioning During Magnetic Pulse Welding of Aluminum-Steel Joints. *Weld. J.* 2016, p. 3
- [54] S. D. Kore, P. P. Date, S. V. Kulkarni, S. Kumar, D. Rani, M. R. Kulkarni, S. V. Desai, R. K. Rajawat, K. V. Nagesh and D. P. Chakravarty. Application of electromagnetic impact technique for welding copper-to-stainless steel sheet. *The International Journal of Advanced Manufacturing Technology*, vol. 54, pp. 949–955, 01 6 2011
- [55] Patra S., Arora K.S., Shome M., Bysakh S. Interface characteristics and performance of magnetic pulse welded copper-Steel tubes. *J. Mater. Process. Technol.* 2017, 245 pp. 278–286
- [56] Marya M., Marya S., Priem D. Fundamentals of magnetic pulse welding for the fabrication of dissimilar material structures. *Springer handbook of mechanical engineering*, vol. 10, p. 723–732, 2009
- [57] Desai S.V., Kumar S., Satyamurthy P., Chakravartty J.K., Chakravarthy D.P. Scaling relationships for input energy in electromagnetic welding of similar and dissimilar metals. *Journal of electromagnetic analysis & applications*, vol. 2, p. 563–570, 2010